

SQ SQUARE DRIVE

LINSENKOPF-BLECHSCHRAUBEN (SQ)

MIT INNENVIERKANT UND LÄNGSSCHLITZ

PAN HEAD SELF TAPPING SCREWS (SQ)


WITH SQUARE SOCKET AND SLOT

VIS À TÔLE-TÊTE CYLINDRIQUE BOMBÉE (SQ)

EMPREINTE CARRÉE AVEC FENTE



Inklusive
including
inclusive



Stahl verzinkt **GOEBEL silver GL**
Steel zinc plated **GOEBEL silver GL**
Acier zingué **GOEBEL GL argenté**

Polyamid
Polyamide
Polyamide

EPDM / A2 W.-Nr. 1.4301/03 AISI 304/02
EPDM / A2 W.-Nr. 1.4301/03 AISI 304/02
EPDM / A2 W.-Nr. 1.4301/03 AISI 304/02

| Ø | L | M | P | D | GOEBEL | | CODE | P | D | GOEBEL | | CODE | | |
|--|--------------|------|--------|-------------|--------|---------|-------------|--------|-------------|--------|---------|-------------|-------|-------------|
| | | | | | GOEBEL | GOEBEL | | | | GOEBEL | GOEBEL | | | |
| Ø 4,2 mm M = No. 2 L = 9,5 bis 25,0 mm -0,8 / +0,8 mm = C | 4,2 x 9,5 mm | | 2,0 mm | 10,0 mm | 1000 | | 17661 42950 | 3,0 mm | 12,0 mm | 500 | | 17361 42950 | | |
| | 4,2 x 13 mm | 1000 | 18000 | 17661 42130 | 2,0 mm | 10,0 mm | 1000 | 16000 | 17261 42130 | 3,0 mm | 12,0 mm | 500 | 12000 | 17361 42130 |
| | 4,2 x 16 mm | 1000 | | 17661 42160 | 2,0 mm | 10,0 mm | 500 | | 17261 42160 | 3,0 mm | 12,0 mm | 500 | | 17361 42160 |
| | 4,2 x 19 mm | 1000 | | 17661 42190 | 2,0 mm | 10,0 mm | 500 | | 17261 42190 | 3,0 mm | 12,0 mm | 500 | | 17361 42190 |
| | 4,2 x 25 mm | 500 | | 17661 42250 | 2,0 mm | 10,0 mm | 500 | | 17261 42250 | 3,0 mm | 12,0 mm | 500 | | 17361 42250 |
| Ø 4,8 mm M = No. 2 L = 9,5 bis 25,0 mm -0,8 / +0,8 mm = C | 4,8 x 9,5 mm | | 2,0 mm | 10,0 mm | 1000 | | 17661 48950 | 3,0 mm | 12,0 mm | 500 | | 17361 48950 | | |
| | 4,8 x 13 mm | 1000 | 12000 | 17661 48130 | 2,0 mm | 10,0 mm | 1000 | | 17261 48130 | 3,0 mm | 12,0 mm | 500 | | 17361 48130 |
| | 4,8 x 16 mm | 1000 | 12000 | 17661 48160 | 2,0 mm | 10,0 mm | 500 | 8000 | 17261 48160 | 3,0 mm | 12,0 mm | 500 | 8000 | 17361 48160 |
| | 4,8 x 19 mm | 500 | | 17661 48190 | 2,0 mm | 10,0 mm | 500 | | 17261 48190 | 3,0 mm | 12,0 mm | 500 | | 17361 48190 |
| | 4,8 x 25 mm | 500 | | 17661 48250 | 2,0 mm | 10,0 mm | 500 | | 17261 48250 | 3,0 mm | 12,0 mm | 250 | | 17361 48250 |
| Ø 5,5 mm M = No. 3 L = 9,5 bis 25,0 mm -0,8 / +0,8 mm = C | 5,5 x 16 mm | | 2,0 mm | 11,0 mm | 500 | | 17661 55160 | 3,0 mm | 16,0 mm | 250 | | 17361 55160 | | |
| | 5,5 x 19 mm | 500 | | 17661 55190 | 2,0 mm | 11,0 mm | 500 | | 17261 55190 | 3,0 mm | 16,0 mm | 250 | | 17361 55190 |
| | 5,5 x 25 mm | 500 | | 17661 55250 | 2,0 mm | 11,0 mm | 250 | | 17261 55250 | 3,0 mm | 16,0 mm | 250 | | 17361 55250 |
| Ø 6,3 mm M = No. 3 L = 9,5 bis 25,0 mm -0,8 / +0,8 mm = C | 6,3 x 16 mm | | 2,0 mm | 12,5 mm | 500 | | 17661 63160 | 3,0 mm | 16,0 mm | 250 | | 17361 63160 | | |
| | 6,3 x 19 mm | 500 | | 17661 63190 | 2,0 mm | 12,5 mm | 500 | | 17261 63190 | 3,0 mm | 16,0 mm | 250 | | 17361 63190 |
| | 6,3 x 25 mm | 250 | | 17661 63250 | 2,0 mm | 12,5 mm | 250 | | 17261 63250 | 3,0 mm | 16,0 mm | 250 | | 17361 63250 |