

# DIN 7504 M

## LINSENKOPF-BOHRSCHRAUBEN


MIT KREUZSCHLITZ (H-PHILLIPS)

## PAN HEAD SELF DRILLING SCREWS

WITH CROSS RECESSED (H-PHILLIPS)

## VIS AUTOFOREUSE-TÊTE CYLINDRIQUE BOMBÉE

EMPREINTE CRUCIFORME (H-PHILLIPS)



Stahl verzinkt  
Steel zinc plated  
Acier zingué

Polyamid  
Polyamide  
Polyamide

EPDM  
EPDM  
EPDM

### Ø 4,2 mm

M = No. 2

= C

= max. 3,0 mm

UPM/RPM/TR-MIN = 1800 - 2500

	Ø	Lg min		CODE	P	D	Lg min		CODE	P	D	Lg min		CODE
	4,2 x 13 mm	4,3 mm	1000	<a href="#">41101 42130</a>	2,0 mm	10,0 mm	3,3 mm	1000	<a href="#">41102 42130</a>	3,0 mm	12,0 mm	2,8 mm	500	<a href="#">41103 42130</a>
	4,2 x 16 mm	7,3 mm	1000	<a href="#">41101 42160</a>	2,0 mm	10,0 mm	6,3 mm	500	<a href="#">41102 42160</a>	3,0 mm	12,0 mm	5,8 mm	500	<a href="#">41103 42160</a>
	4,2 x 19 mm	10,3 mm	1000	<a href="#">41101 42190</a>	2,0 mm	10,0 mm	9,3 mm	500	<a href="#">41102 42190</a>	3,0 mm	12,0 mm	8,8 mm	500	<a href="#">41103 42190</a>
	4,2 x 25 mm	16,3 mm	500	<a href="#">41101 42250</a>	2,0 mm	10,0 mm	15,3 mm	500	<a href="#">41102 42250</a>	3,0 mm	12,0 mm	14,8 mm	250	<a href="#">41103 42250</a>
	4,2 x 32 mm	23,0 mm	500	<a href="#">41101 42320</a>	2,0 mm	10,0 mm	22,0 mm	250	<a href="#">41102 42320</a>	3,0 mm	12,0 mm	21,5 mm	250	<a href="#">41103 42320</a>

### Ø 4,8 mm

M = No. 2

= C

= max. 4,4 mm

UPM/RPM/TR-MIN = 1800 - 2500

	Ø	Lg min		CODE	P	D	Lg min		CODE	P	D	Lg min		CODE
	4,8 x 13 mm	3,7 mm	1000	<a href="#">41101 48130</a>	2,0 mm	10,0 mm	2,7 mm	1000	<a href="#">41102 48130</a>	3,0 mm	12,0 mm	2,2 mm	500	<a href="#">41103 48130</a>
	4,8 x 16 mm	5,8 mm	1000	<a href="#">41101 48160</a>	2,0 mm	10,0 mm	4,8 mm	500	<a href="#">41102 48160</a>	3,0 mm	12,0 mm	4,3 mm	500	<a href="#">41103 48160</a>
	4,8 x 19 mm	8,7 mm	1000	<a href="#">41101 48190</a>	2,0 mm	10,0 mm	7,7 mm	500	<a href="#">41102 48190</a>	3,0 mm	12,0 mm	7,2 mm	500	<a href="#">41103 48190</a>
	4,8 x 22 mm	11,7 mm	500	<a href="#">41101 48220</a>	2,0 mm	10,0 mm	10,7 mm	250	<a href="#">41102 48220</a>	3,0 mm	12,0 mm	10,2 mm	250	<a href="#">41103 48220</a>
	4,8 x 25 mm	14,7 mm	500	<a href="#">41101 48250</a>	2,0 mm	10,0 mm	13,7 mm	250	<a href="#">41102 48250</a>	3,0 mm	12,0 mm	13,2 mm	250	<a href="#">41103 48250</a>
	4,8 x 32 mm	21,5 mm	500	<a href="#">41101 48320</a>	2,0 mm	10,0 mm	20,5 mm	250	<a href="#">41102 48320</a>	3,0 mm	12,0 mm	20,0 mm	250	<a href="#">41103 48320</a>
	4,8 x 38 mm	27,5 mm	250	<a href="#">41101 48380</a>	2,0 mm	10,0 mm	26,5 mm	250	<a href="#">41102 48380</a>	3,0 mm	12,0 mm	26,0 mm	250	<a href="#">41103 48380</a>
	4,8 x 45 mm	34,5 mm	250	<a href="#">41101 48450</a>	2,0 mm	10,0 mm	33,5 mm	250	<a href="#">41102 48450</a>	3,0 mm	12,0 mm	33,0 mm	250	<a href="#">41103 48450</a>
	4,8 x 50 mm	39,5 mm	250	<a href="#">41101 48500</a>	2,0 mm	10,0 mm	38,5 mm	250	<a href="#">41102 48500</a>	3,0 mm	12,0 mm	38,0 mm	250	<a href="#">41103 48500</a>

### Ø 5,5 mm

M = No. 3

= C

= max. 5,25 mm

UPM/RPM/TR-MIN = 1000 - 1800

	Ø	Lg min		CODE	P	D	Lg min		CODE	P	D	Lg min		CODE
	5,5 x 19 mm	8,0 mm	500	<a href="#">41101 55190</a>	2,0 mm	11,5 mm	7,0 mm	500	<a href="#">41102 55190</a>	3,0 mm	16,0 mm	6,5 mm	500	<a href="#">41103 55190</a>
	5,5 x 25 mm	14,0 mm	500	<a href="#">41101 55250</a>	2,0 mm	11,5 mm	13,0 mm	250	<a href="#">41102 55250</a>	3,0 mm	16,0 mm	12,5 mm	500	<a href="#">41103 55250</a>
	5,5 x 32 mm	21,0 mm	500	<a href="#">41101 55320</a>	2,0 mm	11,5 mm	20,0 mm	250	<a href="#">41102 55320</a>	3,0 mm	16,0 mm	19,5 mm	500	<a href="#">41103 55320</a>
	5,5 x 38 mm	27,0 mm	500	<a href="#">41101 55380</a>	2,0 mm	11,5 mm	26,0 mm	250	<a href="#">41102 55380</a>	3,0 mm	16,0 mm	25,5 mm	500	<a href="#">41103 55380</a>
	5,5 x 45 mm	34,0 mm	500	<a href="#">41101 55450</a>	2,0 mm	11,5 mm	33,0 mm	250	<a href="#">41102 55450</a>	3,0 mm	16,0 mm	32,5 mm	500	<a href="#">41103 55450</a>
	5,5 x 50 mm	39,0 mm	500	<a href="#">41101 55500</a>	2,0 mm	11,5 mm	38,0 mm	250	<a href="#">41102 55500</a>	3,0 mm	16,0 mm	37,5 mm	500	<a href="#">41103 55500</a>

### Ø 6,3 mm

M = No. 3

= C

= max. 6,0 mm

UPM/RPM/TR-MIN = 1000 - 1800

	Ø	Lg min		CODE	P	D	Lg min		CODE	P	D	Lg min		CODE
	6,3 x 19 mm	7,0 mm	500	<a href="#">41101 63190</a>	2,0 mm	15,5 mm	6,0 mm	500	<a href="#">41102 63190</a>	3,0 mm	16,0 mm	5,5 mm	500	<a href="#">41103 63190</a>
	6,3 x 25 mm	13,0 mm	500	<a href="#">41101 63250</a>	2,0 mm	15,5 mm	12,0 mm	250	<a href="#">41102 63250</a>	3,0 mm	16,0 mm	11,5 mm	500	<a href="#">41103 63250</a>
	6,3 x 32 mm	20,0 mm	500	<a href="#">41101 63320</a>	2,0 mm	15,5 mm	19,0 mm	250	<a href="#">41102 63320</a>	3,0 mm	16,0 mm	18,5 mm	500	<a href="#">41103 63320</a>
	6,3 x 38 mm	26,0 mm	500	<a href="#">41101 63380</a>	2,0 mm	15,5 mm	25,0 mm	250	<a href="#">41102 63380</a>	3,0 mm	16,0 mm	24,5 mm	500	<a href="#">41103 63380</a>
	6,3 x 45 mm	33,0 mm	500	<a href="#">41101 63450</a>	2,0 mm	15,5 mm	32,0 mm	250	<a href="#">41102 63450</a>	3,0 mm	16,0 mm	31,5 mm	500	<a href="#">41103 63450</a>
	6,3 x 50 mm	38,0 mm	500	<a href="#">41101 63500</a>	2,0 mm	15,5 mm	37,0 mm	250	<a href="#">41102 63500</a>	3,0 mm	16,0 mm	36,5 mm	500	<a href="#">41103 63500</a>